Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27	654	713/168.ccls. and @ad<"20010312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:20
S28	262	S27 and (((public and private) or (symmetric and asymmetric))near (key or encrypt\$3 or cryptograph\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:27
S29	244	S28 and (authentic\$4 or verif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:21
S30	244	S29 and (data\$3 or element\$3 or character or information\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:24
S31	239	S30 and (prover or verifier or user\$3 or devic\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:22
S32	189	S31 and (compar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:24
S33		S32 and (clear\$3 or unencrypt\$3 or plaintext\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:23

			Γ	-	1	T
S34	´ 64	S33 and (identical\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:16
S35	1	S34 and (check near referenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:24
S36	251	713/180.ccls. and @ad<"20010312"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:20
S37	121	S36 and (((public and private) or (symmetric and asymmetric))near (key or encrypt\$3 or cryptograph\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:20
S38	702	"l12" and (authentic\$4 or verif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:21
S39	696	"l11" and (authentic\$4 or verif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:21
S40	562	S39 and (prover or verifier or user\$3 or devic\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/01/04 21:22

S41	115	S37 and (prover or verifier or user\$3 or devic\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:22
S42	66	S41 and (clear\$3 or unencrypt\$3 or plaintext\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:23
S43	.66	S42 and (data\$3 or element\$3 or character or information\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:24
S44	54	S43 and (compar\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:24
S45	0	S44 and (check near referenc\$3 near algorithm\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:26
S46	23790	(((public and private) or (symmetric and asymmetric or secret)) near (key\$3 or encrypt\$3 or cryptograph\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 21:50

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1729	(symmetric and asymmetric) near (cryptograph\$3 or encrypt\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/05 19:56
L2	624	I1 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/05 19:56
L3	282	l2 and @ad<"20011210"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/01/05 19:56
L4	104	I3 and ((prover and verifier) or ((smartcard\$2 or "smart card") and (terminal\$3 or reader\$3 or scan\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/01/05 19:58
L5	90	l4 and authentic\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/05 19:58
L6	35	I5 and 713/18\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/05 20:05
L7	34	I5 and 713/16\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/05 20:05